

SPECIFICATIONS

DESIGNATION	APEX 48	APEX 52	APEX 60	APEX 60
MODEL #	991153 / 991173*	991155 / 991175*	991157	991151 / 991177*
ENGINE	Kohler® 7000 Series	Kohler® 7000 Series	Kohler® 7000 Series	Kawasaki® FR Series
HORSEPOWER	23 hp	23 hp	25 hp	24 hp
DISPLACEMENT (cc)	725 cc	725 cc	725 cc	726 cc
DRIVE SYSTEM	Hydro-Gear® ZT3100 Transaxles	Hydro-Gear® ZT3100 Transaxles	Hydro-Gear® ZT3100 Transaxles	Hydro-Gear® ZT3100 Transaxles
FUEL CAPACITY	5 Gallon (18.9 L)	5 Gallon (18.9 L)	5 Gallon (18.9 L)	5 Gallon (18.9 L)
GROUND SPEED (APPROXIMATE MPH) (FWD/REV)	8 mph / 4 mph	8 mph / 4 mph	8 mph / 4 mph	8 mph / 4 mph
STARTER	Electric	Electric	Electric	Electric
DECK MATERIAL	10ga Steel	10ga Steel	10ga Steel	10ga Steel
DECK CONSTRUCTION	Fabricated	Fabricated	Fabricated	Fabricated
NUMBER OF SPINDLES	3	3	3	3
BLADE TIP SPEED (FPM)	18,000	17,500	18,000	18,000
SPINDLE MATERIAL	Forged Aluminum	Forged Aluminum	Forged Aluminum	Forged Aluminum
SPINDLE SHAFT	Steel	Steel	Steel	Steel
DECK DRIVE	Belt	Belt	Belt	Belt
DECK ENGAGEMENT	Electric Ogura®	Electric Ogura®	Electric Ogura®	Electric Ogura®
DECK LIFT SYSTEM	Foot Operated	Foot Operated	Foot Operated	Foot Operated
CUTTING WIDTH	48 in	52 in	60 in	60 in
CUTTING POSITIONS	15	15	15	15
WHEELS (FRONT)	13 x 6.5 in - 6 in	13 x 6.5 in - 6 in	13 x 6.5 in - 6 in	13 x 6.5 in - 6 in
WHEELS (BACK)	22 x 10 in - 12 in	22 x 10.5 in - 12 in	22 x 12 in - 12 in	22 x 12 in - 12 in
SEAT	High Back Comfort w/ Lever Adjust, Arm Rests	High Back Comfort w/ Lever Adjust, Arm Rests	High Back Comfort w/ Lever Adjust, Arm Rests	High Back Comfort w/ Lever Adjust, Arm Rests
HOURLY METER	Standard	Standard	Standard	Standard
WARRANTY (MACHINE)	3 Year Limited Consumer / 1 Year Limited Commercial	3 Year Limited Consumer / 1 Year Limited Commercial	3 Year Limited Consumer / 1 Year Limited Commercial	3 Year Limited Consumer / 1 Year Limited Commercial
WARRANTY (DECK & FRAME)	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame
WEIGHT	823 lbs	832 lbs	853 lbs	853 lbs
LENGTH	71.5 in	74.5 in	74.5 in	74.5 in
WIDTH	50 in (w/o chute)	55.5 in (w/o chute)	62.8 in (w/o chute)	62.8 in (w/o chute)
HEIGHT	42 in	42 in	42 in	42 in
ATTACHMENTS & ACCESSORIES	Powered Bagger Kit, Mulching Kit, Striper Kit, Discharge Cover Kit, Trailer Hitch Kit, Headlight Kit, Sun Shade, Spreader, Roller, Aerator, Dethatcher, Sprayer, Seat Isolator Kit, Seat Spring Kit, Folding Rops Kit			

* CARB UNIT



Distribué par / Distributed by :



MTI Canada

Tél. / tel.: 418 839-4127

Français: 1 800 463-4398

English: 1 800 463-7205

Télééc. / Fax: 1 800 363-7157

www.mticanada.ca • info@mticanada.ca

SPECIFICATIONS

DESIGNATION	<i>IKON XL 42</i>	<i>IKON XL 52</i>	<i>IKON XL 60</i>	<i>IKON XL 60</i>
MODEL #	915226 / 915237*	915227 / 915239*	915228	915229 / 915241*
ENGINE	Kohler® 7000 Series	Kohler® 7000 Series	Kohler® 7000 Series	Kawasaki® FR Series
HORSEPOWER	22 hp	24 hp	25 hp	24 hp
DISPLACEMENT (cc)	725 cc	725 cc	725 cc	726 cc
DRIVE SYSTEM	Hydro-Gear® 2800 Transaxles	Hydro-Gear® 2800 Transaxles	Hydro-Gear® 2800 Transaxles	Hydro-Gear® 2800 Transaxles
FUEL CAPACITY	2.8 Gallon (10.5 L)	2.8 Gallon (10.5 L)	2.8 Gallon (10.5 L)	2.8 Gallon (10.5 L)
GROUND SPEED (APPROXIMATE MPH) (FWD/REV)	7 mph / 3 mph	7 mph / 3 mph	7 mph / 3 mph	7 mph / 3 mph
STARTER	Electric	Electric	Electric	Electric
DECK MATERIAL	11ga Steel	11ga Steel	11ga Steel	11ga Steel
DECK CONSTRUCTION	Fabricated	Fabricated	Fabricated	Fabricated
NUMBER OF SPINDLES	3	3	3	3
BLADE TIP SPEED (FPM)	17,000	17,000	17,000	17,000
SPINDLE MATERIAL	Steel	Steel	Steel	Steel
SPINDLE SHAFT	Steel	Steel	Steel	Steel
DECK DRIVE	Belt	Belt	Belt	Belt
DECK ENGAGEMENT	Electric Warner®	Electric Warner®	Electric Warner®	Electric Warner®
DECK LIFT SYSTEM	Foot Operated, Dial Selection	Foot Operated, Dial Selection	Foot Operated, Dial Selection	Foot Operated, Dial Selection
CUTTING WIDTH	42 in	52 in	60 in	60 in
CUTTING POSITIONS	13	13	13	13
WHEELS (FRONT)	11 x 6 in - 5 in	11 x 6 in - 5 in	11 x 6 in - 5 in	11 x 6 in - 5 in
WHEELS (BACK)	20 x 8 - 10 in	20 x 10 - 10 in	20 x 12 - 10 in	20 x 12 - 10 in
SEAT	Plush High Back w/ Lever Adjust, Padded Arm Rests	Plush High Back w/ Lever Adjust, Padded Arm Rests	Plush High Back w/ Lever Adjust, Padded Arm Rests	Plush High Back w/ Lever Adjust, Padded Arm Rests
HOURLY METER	Standard	Standard	Standard	Standard
WARRANTY (MACHINE)	3 Year Limited Consumer	3 Year Limited Consumer	3 Year Limited Consumer	3 Year Limited Consumer
WARRANTY (DECK & FRAME)	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame
WEIGHT	661 lbs	679 lbs	694 lbs	697 lbs
LENGTH	77.5 in	77.5 in	77.5 in	77.5 in
WIDTH	54.2 in (w/o chute)	63.4 in (w/o chute)	73.75 in (w/o chute)	73.75 in (w/o chute)
HEIGHT	40.9 in	40.9 in	40.9 in	40.9 in
ATTACHMENTS & ACCESSORIES	Powered Bagger Kit, Mulching Kit, Trailer Hitch Kit, Headlight Kit, Spreader, Roller, Aerator, Dethatcher, Sprayer			



ARIENS

Distribué par / Distributed by :



MTI Canada

Tél. / tel.: 418 839-4127

Français: 1 800 463-4398

English: 1 800 463-7205

Télééc. / Fax: 1 800 363-7157

www.mticanada.ca • info@mticanada.ca

SPECIFICATIONS

DESIGNATION	IKON X 42	IKON X 42	IKON X 52	IKON X 52
MODEL #	915220 / 915224*	915221	915222	915223 / 915225*
ENGINE	Kohler® 7000 Series	Kawasaki® FR Series	Kohler® 7000 Series	Kawasaki® FR Series
HORSEPOWER	22 hp	18 hp	24 hp	23 hp
DISPLACEMENT (cc)	725 cc	603 cc	725 cc	726 cc
DRIVE SYSTEM	Hydro-Gear® EZT Transaxles	Hydro-Gear® EZT Transaxles	Hydro-Gear® EZT Transaxles	Hydro-Gear® EZT Transaxles
FUEL CAPACITY	2.8 Gallon (10.5 L)	2.8 Gallon (10.5 L)	2.8 Gallon (10.5 L)	2.8 Gallon (10.5 L)
GROUND SPEED (APPROXIMATE MPH) (FWD/REV)	7 mph / 3 mph	7 mph / 3 mph	7 mph / 3 mph	7 mph / 3 mph
STARTER	Electric	Electric	Electric	Electric
DECK MATERIAL	11ga Steel	11ga Steel	11ga Steel	11ga Steel
DECK CONSTRUCTION	Fabricated	Fabricated	Fabricated	Fabricated
NUMBER OF SPINDLES	3	3	3	3
BLADE TIP SPEED (FPM)	17,000	17,000	17,000	17,000
SPINDLE MATERIAL	Steel	Steel	Steel	Steel
SPINDLE SHAFT	Steel	Steel	Steel	Steel
DECK DRIVE	Belt	Belt	Belt	Belt
DECK ENGAGEMENT	Electric Warner®	Electric Warner®	Electric Warner®	Electric Warner®
DECK LIFT SYSTEM	Foot Operated, Dial Selection	Foot Operated, Dial Selection	Foot Operated, Dial Selection	Foot Operated, Dial Selection
CUTTING WIDTH	42 in	42 in	52 in	52 in
CUTTING POSITIONS	13	13	13	13
WHEELS (FRONT)	11 x 4 in - 5 in	11 x 4 in - 5 in	11 x 4 in - 5 in	11 x 4 in - 5 in
WHEELS (BACK)	18 x 8.5 - 8 in	18 x 8.5 - 8 in	18 x 8.5 - 8 in	18 x 8.5 - 8 in
SEAT	Plush High Back w/ Arm Rests	Plush High Back w/ Arm Rests	Plush High Back w/ Arm Rests	Plush High Back w/ Arm Rests
HOUR METER	Standard	Standard	Standard	Standard
WARRANTY (MACHINE)	3 Year Limited Consumer	3 Year Limited Consumer	3 Year Limited Consumer	3 Year Limited Consumer
WARRANTY (DECK & FRAME)	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame	5 Year Limited Deck Shell & Frame
WEIGHT	605 lbs	605 lbs	635 lbs	635 lbs
LENGTH	77.5 in	77.5 in	77.5 in	77.5 in
WIDTH	54.2 in	54.2 in	63.4 in	63.4 in
HEIGHT	40.9 in	40.9 in	40.9 in	40.9 in
ATTACHMENTS & ACCESSORIES	Powered Bagger Kit, Mulching Kit, Trailer Hitch Kit, Headlight Kit, Spreader Cart, Roller, Aerator, Dehatcher, Sprayer, Vibration Isolating Foot Mat, Wheel Covers			

* CARB UNIT



Distribué par / Distributed by :



MTI Canada

Tél. / tel.: 418 839-4127

Français: 1 800 463-4398

English: 1 800 463-7205

Télééc. / Fax: 1 800 363-7157

www.mticanada.ca • info@mticanada.ca

SPECIFICATIONS

DESIGNATION	ZOOM® 34	ZOOM® 42
MODEL #	915211 / 915209*	915213 / 915233*
ENGINE	Kohler® 6000 V-Twin™	Kohler® 6000 V-Twin™
HORSEPOWER	19 hp	19 hp
DISPLACEMENT (cc)	660 cc	660 cc
DRIVE SYSTEM	Hydro-Gear® EZT Transaxles with 1" Axle Shafts	Hydro-Gear® EZT Transaxles with 1" Axle Shafts
FUEL CAPACITY	2.0 Gallon (7.5 L)	2.0 Gallon (7.5 L)
GROUND SPEED (APPROXIMATE MPH) (FWD/REV)	6 mph / 3 mph	6 mph / 3 mph
DECK MATERIAL	12 ga	12 ga
DECK CONSTRUCTION	Stamped	Stamped
NUMBER OF SPINDLES	2	3
BLADE TIP SPEED (FPM)	17,500	17,000
SPINDLE MATERIAL	Steel	Steel
SPINDLE SHAFT	Steel	Steel
SPINDLE BEARINGS	Sealed	Sealed
DECK DRIVE	Belt	Belt
DECK ENGAGEMENT	Electric Warner®	Electric Warner®
DECK LIFT SYSTEM	Foot Operated	Foot Operated
CUTTING WIDTH	32 in	42 in
CUTTING HEIGHTS	1.5 in - 4.5 in	1.5 in - 4.5 in
CUTTING POSITIONS	7	7
WHEELS (FRONT)	11 in x 4-5 in	11 in x 4-5 in
WHEELS (BACK)	18 in x 8.5- 8 in	18 in x 8.5- 8 in
SEAT	Mid Back w/ Seat Springs	High Back w/ Seat Springs, Lever Adjust
WEIGHT	425 lbs	440 lbs
LENGTH	64 in	64 in
WIDTH	42 in (w/ chute)	54 in (w/ chute)
HEIGHT	37 in	43 in
WARRANTY (MACHINE)	3 Year Limited Consumer	3 Year Limited Consumer
WARRANTY (DECK & FRAME)	5 Year Limited Deck Shell & Frame	
ATTACHMENTS & ACCESSORIES	Mulching Kit, 2-Bucket Non-Powered Bagger Kit, Trailer Hitch Kit, Poly Roller, Aerator, Dethatcher, Sprayer, Spreader, Wheel Covers, Headlight Kit, FlexTend™ Shoulder Support System, Seat Cover, Mower Cover	



Distribué par / Distributed by :



MTI Canada

Tél. / tel.: 418 839-4127

Français: 1 800 463-4398

English: 1 800 463-7205

Télééc. / Fax: 1 800 363-7157

www.mticanada.ca • info@mticanada.ca

SPECIFICATIONS

DESIGNATION	27-TON LOG SPLITTER	34-TON LOG SPLITTER
ENGINE	Subaru®	Subaru®
HORSEPOWER	5.5 hp	7 hp
DISPLACEMENT (cc)	190 cc	211 cc
STARTING SYSTEM	Recoil	Recoil
FUEL CAPACITY	0.26 Gallon (1 L)	0.95 Gallon (3.6 L)
HYDRAULIC CAPACITY	4.5 Gal (17 L)	4.5 Gal (17 L)
SPLITTING FORCE	27-Ton	34-Ton
CYLINDER CYCLE TIME-SEC	15	17
LOG CAPACITY	25 in (63.5 cm)	25 in (63.5 cm)
HITCH COUPLER	2 in	2 in
MAXIMUM TOWING SPEED	45 mph	45 mph
2-STAGE HYDRAULIC PUMP	11 gpm	13 gpm
CHASSIS	Professional	Professional
HORIZONTAL AND VERTICAL SPLITTING	Standard	Standard
OPEN OPERATING ZONE	Standard	Standard
CENTRALLY LOCATED CONTROLS	Standard	Standard
TAPERED WEDGE	Standard	Standard
WHEEL FENDERS	Standard	Standard
SAFETY CHAINS	Standard	Standard
LOG CRADLE	Standard	Standard
WORK TABLE	Optional	Optional
JACK STAND WITH WHEEL	Optional	Optional
HITCH HANDLE	Standard	Standard
WHEELS (REAR)	4.8 in / 4 in x 8 in	4.8 in / 4 in x 8 in
WEIGHT	500 lbs	525 lbs
LENGTH	86.25 in	86.25 in
WIDTH	38.25 in	38.25 in
HEIGHT	46.50 in	46.50 in
WARRANTY (MACHINE)	3 Year Limited Consumer	3 Year Limited Consumer
ATTACHMENTS & ACCESSORIES	Trailer Tail Lights, Trailer Light Mounting Bracket, License Plate Holder, Engine Cover, Cylinder Handle, Muffler Guard, Log Splitter Cover, Jack Stand with Wheel, Torsion Axle Kit, Work Table, Fender Kit	



Distribué par / Distributed by :



MTI Canada

Tél. / tel.: 418 839-4127

Français: 1 800 463-4398

English: 1 800 463-7205

Télééc. / Fax: 1 800 363-7157

www.mticanada.ca • info@mticanada.ca

SPECIFICATIONS

DESIGNATION	POWER BRUSH 28*	POWER BRUSH 36	HYDRO POWER BRUSH 36
MODEL #	921025*	926062*	926518*
ENGINE	Subaru® EX17	Subaru® EX27	Subaru® EX30
DISPLACEMENT (cc)	169 cc	265 cc	287 cc
STARTING SYSTEM	120V/Recoil	120V/Recoil	12V/Key
CLEARING WIDTH	28 in (71.2cm)	36 in (91.4 cm)	36 in (91.4 cm)
BRUSH DIAMETER	18 in (46 cm)	25 in (64 cm)	25 in (64 cm)
BRUSH ROTATION ANGLE	40°	40°	40°
BRUSH ROTATION CONTROL	Remote Trigger	Remote Trigger	Remote Trigger
INTERLOCK CONTROL	Yes	Yes	Yes
TIRE SIZE	15 in x 5 in (38 x 13 cm)	16 in x 6.5 in (41 x 17 cm)	16 in x 6.5 in (41 x 17 cm)
TIRE TYPE	Directional Snow Tread	Directional Snow Tread	Directional Snow Tread
AXLE SYSTEM	Automatic Traction Control	Automatic Traction Control	Automatic Traction Control
FUEL TANK CAPACITY	3.8Qt (3.6L)	6.3Qt (6.1L)	6.3Qt (6.1L)
DRIVE TYPE	Disc-O-Matic	Disc-O-Matic	Hydrostatic
SPEEDS	6 Forward/2 Reverse	6 Forward/2 Reverse	Infinite
HALOGEN HEADLIGHT	No	Standard	Standard
HANDWARMERS	No	No	Standard
ELECTRIC START	Standard	Standard	Standard
WEIGHT	400 lbs	450 lbs	450 lbs
LENGTH	69 in (175.26 cm)	69.50 in (176.53 cm)	69.50 in (176.53 cm)
WIDTH	50 in (127 cm)	50 in (127 cm)	38 in (96.52 cm)
HEIGHT	38.50 in (97.79 cm)	38.50 in (97.79 cm)	38 in (96.52 cm)
WARRANTY	3 Year Limited Consumer	3 Year Limited Consumer, 1 Year Limited Commercial	3 Year Limited Consumer, 1 Year Limited Commercial
ATTACHMENTS & ACCESSORIES	Turf Caster Kit, Tire Chains, Snow Cab, Debris Deflector, Bristle Replacement Kit. Wire Bristle Kit		



Distribué par / Distributed by :



MTI Canada

Tél. / tel.: 418 839-4127

Français: 1 800 463-4398

English: 1 800 463-7205

Télééc. / Fax: 1 800 363-7157

www.mticanada.ca • info@mticanada.ca